

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7162596").PN.	USPAT; USOCR	OR	OFF	2009/06/09 16:12
L2	67	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:15
L3	2507	(719/318,330-332).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:16
L4	1	2 & 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:16
L5	67	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3 ) & API\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:16
L6	67	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:45
L7	1	3 & (( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:45
L8	4	3 & (( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) same ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:45

L9	24	3 & ( ( self\$3 near3 contain\$3 ) or selfcontain\$3 or self-contain\$3 ) same ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:45
L10	3	3 & ( ( self\$3 near3 contain\$3 ) or selfcontain\$3 or self-contain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:46
L11	2	3 & ( ( self\$3 near3 contain\$3 ) or selfcontain\$3 or self-contain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) ) & handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:46
L12	0	3 & ( ( self\$3 near3 contain\$3 ) or selfcontain\$3 or self-contain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:46
L13	1	3 & ( ( self\$3 near3 contain\$3 ) or selfcontain\$3 or self-contain\$3 ) same ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47

L14	852	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) same ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L15	67	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L16	852	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) same ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L17	67	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L18	577	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) same ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L19	852	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) same ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47

L20	67	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 )with ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L21	139	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L22	31	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) near6 ( API\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:47
L23	139	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3) ) same handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:48
L24	787	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3) ) & handl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:48
L25	1823	(( self\$3 near3 contain\$3 ) or selfcontain\$3 or selfcontain\$3 ) with ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:48

L26	982	( ( self\$3 near3 contain\$3 ) or selfcontain\$3 or self- contain\$3 ) near6 ( API\$3 or call\$3 or ( application near2 programming near2 interface\$3 ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/09 16:48
-----	-----	---	---	----	-----	---------------------

6/ 9/ 2009 4:49:48 PM

C:\ Program Files\ USPTO\ EAST\ Bin\ default.wsp